

KAIA

ME A

'Line of light'


Designed by Peter Straka
Vienna 2007

Light in its most minimal form: the linear lamp as an aesthetic object, anchored at both ends. The optional back plate mirrors the reflection.



ME A

Suspension
100



Type

Material

Environment

Cable Length

Dimensions

Weight

Certification

EU/UK

Ceiling Rose

Lamps

Suspension light

Solid brass

Indoors

1500 mm

1000/500/300 mm x 80 mm

1.1kg

IP20 CE

230 V

2 x round flat Ø 60mm

max. 120W, S14d,

our suggestion:

1 x linear opal LED, 2700 K,

Mains (Phase) dimmable,

EPREL-ID: 566195

Standard finishes:

100/50/30

040 01/14/15 101 12

040 01/14/15 201 12

040 01/14/15 202 12

040 01/14/15 209 12

040 01/14/15 402 12

polished nickel, black cable

brushed nickel, black cable

brushed brass, black cable

blackened brass, black cable


aged brass, black cable

* On very rare occasions, these lamps may appear to have a slight buzzing or flickering. As is the case with all retro LED lamps, this is likely caused by a number of outside influences such as incorrect installation, wiring, dimming or transformers and in some instances low electrical resistance.

** Please contact sales@kaialighting.com for further information on dimmers etc. Please note KAIA Ltd cannot take any responsibility for the connection with your dimming or central control system. It is the customer's responsibility to ensure the compatibility with their systems.

MEA

Wall / Ceiling
100



Type
Material
Environment
Dimensions
Weight
Certification
Bathroom
EU/UK
Lamps


Wall/ceiling light
Solid brass
Indoors
1000 x 20 x 80 mm
0.6 kg
IP20 CE
Zone 3
230 V
max. 120W, S14d,
our suggestion:
1 x linear opal LED, 2700 K,
Mains (Phase) dimmable,
EPREL-ID: 566195

Standard finishes:

040 02 101	polished nickel
040 02 201	brushed nickel
040 02 202	brushed brass
040 02 209	blackened brass
040 02 402	aged brass

MEA

Wall / Ceiling
50



Type
Material
Environment
Dimensions
Weight
Certification
Bathroom
EU/UK
Lamps


Wall/ceiling light
Solid brass
Indoors
500 x 20 x 80 mm
0.6 kg
IP20 CE
Zone 3
230 V
max. 60 W, S14d,
our suggestion:
1x linear opal LED, 2700 K,
Mains (Phase) dimmable,
EPREL-ID: 566200

Standard finishes:

040 03 101	polished nickel
040 03 201	brushed nickel
040 03 202	brushed brass
040 03 209	blackened brass
040 03 402	aged brass

MEA

Wall / Ceiling
30



Type
Material
Environment
Dimensions
Weight
Certification
Bathroom
EU/UK
Lamps


Wall/ceiling light
Solid brass
Indoors
300 x 20 x 80 mm
0.6 kg
IP20 CE
Zone 3
230 V
max. 35 W, S14d,
our suggestion:
1x linear opal LED, 2700 K,
Mains (Phase) dimmable,
EPREL ID 566198

Standard finishes:

040 04 101	polished nickel
040 04 201	brushed nickel
040 04 202	brushed brass
040 04 209	blackened brass
040 04 402	aged brass

ME A

Ceiling / Wall Plate
100




Type	Wall/ceiling light
Material	Solid brass
Environment	Indoors
Dimensions	1045 x 75 x 80 mm
Weight	1.6 kg
Certification	IP20 CE
Bathroom	Zone 3
EU/UK	230 V
Lamps	max. 120W, S14d, our suggestion: 1 x linear opal LED, 2700 K, Mains (Phase) dimmable, EPREL-ID: 566195

Standard finishes:

040 05 201	brushed nickel
040 02 202	brushed brass

ME A

Ceiling / Wall Plate
50




Type	Wall/ceiling light
Material	Solid brass
Environment	Indoors
Dimensions	545 x 75 x 80 mm
Weight	1.1 kg
Certification	IP20 CE
Bathroom	Zone 3
EU/UK	230 V
Lamps	max. 60 W, S14d, our suggestion: 1x linear opal LED, 2700 K, Mains (Phase) dimmable, EPREL-ID: 566200

Standard finishes:

040 06 201	brushed nickel
040 06 202	brushed brass

ME A

Ceiling / Wall Plate
30



Type	Wall/ceiling light
Material	Solid brass
Environment	Indoors
Dimensions	345 x 75 x 80 mm
Weight	0.6 kg
Certification	IP20 CE
Bathroom	Zone 3
EU/UK	230 V
Lamps	max. 35 W, S14d, our suggestion: 1x linear opal LED, 2700 K, Mains (Phase) dimmable, EPREL ID 566198


Standard finishes:

040 07 201	brushed nickel
040 07 202	brushed brass

MAINLY SUITABLE FOR INSTALLATION ONTO PLASTER WALLS AND JOINERY. FOR FURTHER INFORMATION PLEASE SEE ME A PLATE MOUNTING INSTRUCTIONS AND CONTACT SALES@KAIA.AT.

MEA

Wall / Ceiling Base
100




Type Wall/ceiling light
Material Solid brass
Environment Indoors
Dimensions 1045 x 75 x 100 mm
Weight 1.6 kg
Certification IP20 CE
Bathroom Zone 3
EU/UK 230 V
Lamps max. 120W, S14d,
our suggestion:
1 x linear opal LED, 2700 K,
Mains (Phase) dimmable,
EPREL-ID: 566195

Standard finishes:

040 05 201 brushed nickel
040 02 202 brushed brass

MEA

Wall / Ceiling Base
50




Type Wall/ceiling light
Material Solid brass
Environment Indoors
Dimensions 545 x 75 x 80 mm
Weight 1.1 kg
Certification IP20 CE
Bathroom Zone 3
EU/UK 230 V
Lamps max. 60 W, S14d,
our suggestion:
1x linear opal LED, 2700 K,
Mains (Phase) dimmable,
EPREL-ID: 566200

Standard finishes:

040 06 201 brushed nickel
040 06 202 brushed brass

MEA

Wall / Ceiling Base
30



Type Wall/ceiling light
Material Solid brass
Environment Indoors
Dimensions 345 x 75 x 100 mm
Weight 0.6 kg
Certification IP20 CE
Bathroom Zone 3
EU/UK 230 V
Lamps max. 35 W, S14d,
our suggestion:
1x linear opal LED, 2700 K,
Mains (Phase) dimmable,
EPREL ID 566198

Standard finishes:

040 07 201 brushed nickel
040 07 202 brushed brass